

FOIA b 7 - D




FIG. 1




Figure 2




FIG. 3

09768748, 050701




FIG. 4

09/768,748-34289/60

FIG. 5A





FIG. 5A



09768748-050701




FIG. 5C




FIG. 6A

FIG. 6B




FIG. 6B



FIG. 6C






FIG. 7A

FIG. 7B



SECRET







FIG. 8B






FIG. 9A

FIG. 9B






FIG. 9C

02034303





FIG. 10A

FIG. 10B






FIG. 10C




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 21




FIG. 20




FIG. 18

FIG. 18

FIG. 19




FIG. 19




FIG. 24




FIG. 23




FIG. 22




FIG. 25




FIG. 33

09768001-050701




FIG. 26




FIG. 27




FIG. 28




FIG. 29

FIG. 28




FIG. 30




FIG. 32




FIG. 31

FIG. 30




FIG. 34

09/768,001 34/285,001




FIG. 35




FIG. 39




FIG. 37




FIG. 36

FIG. 39




FIG. 38

Serial Port...
Answer Mode...
HoldCall...
Voice mail...
PBX...
Fax...
Multi-Media Mail...
Show and Tell...

FIG. 40

COM1
COM2
✓ COM3
COM4
COM5
COM6
COM7
COM8

FIG. 41








PCS Answer Mode Setup	
	<input checked="" type="radio"/> PCS does not answer (Telephone)
	<input type="radio"/> Voice Mail (Answering machine)
	<input type="radio"/> FAX
	<input type="radio"/> Multi-Media Mail
	<input type="radio"/> Show and Tell
	<input type="radio"/> Terminal
	<input type="radio"/> Automatic
# of rings before answering [1-5] <input type="text" value="2"/>	
<input type="button" value="OK"/>	<input type="button" value="Cancel"/> <input type="button" value="Help"/>

FIG. 42

09768748-0507

Hold Call

Hold All Outgoing Calls for the hours

Outgoing Calls will start at


FIG. 44

PCS Voice Mail Setup

Main greeting file:

FIG. 43

09/768,741




PCS PBX Setup

Enter Dialing Prefix :

Apply prefix to numbers of digits or more

OK Cancel Help

FIG. 45




PCS Fax Setup

of tries [1-10]

User Info:

OK Cancel Help

FIG. 46



MultiMedia Mail Setup

User Info:

OK Cancel Help

FIG. 47

09768748-050701

FO/050" 84489260




FIG. 48




FIG. 49

TD 4050" 84289260




FIG. 50

FD-050" 84/89/60




FIG. 51




FIG. 52

FIG. 52

FD-050" 84289260

Multi Media Mail

Setup

Message Composer

Help

Multi Media messages to be sent

Add to Queue

Preview

Delete from Queue

Change Attributes

Multi Media messages received

View

Store

Delete

Forward

Refresh

FIG. 53

FIG. 54

Open... SelNew Help

Show and Tell

Name: Phone:

Affiliation: Fax:

Index with Search for

Address:

City, State:

Zip:

Misc:

OK CANCEL

FD-2050-BH-289/60

ADDRESS BOOK

File Edit Help

Index with

FIG. 55

FO/050-84/289/260

Voice Message Destination/s

Open... SelAll SelNew Help

Name : Phone :

Affiliation : Fax :

Time: Date:

Index with Name Search For

Address :

City, State:

Zip :

Misc:

FIG. 56

FD-2050" 8-14-89/60




FIG. 57